



For more information, use  
your smartphone's QR  
reader to find out more  
about the Exiss lineup.


1 (877) 553-9477 | 900 E. Trail Blvd. | El Reno, OK 73036 | [www.exiss.com](http://www.exiss.com) | [sales@exiss.com](mailto:sales@exiss.com)

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.

© 2011 Exiss | Version 11.6



## GOOSENECK SLANT LOAD HORSE TRAILERS



1 (877) 553-9477 // [www.exiss.com](http://www.exiss.com) // [sales@exiss.com](mailto:sales@exiss.com)

 BY UNIVERSAL TRAILER



# GOOSENECK MODELS

## ENGINEERED FOR YOU

Exiss understands your passion for your horses and the lifestyle that goes with it. That's why we offer a complete line of gooseneck horse trailers loaded with features that represent the industry's best value for your hard-earned dollar. For more than 15 years, Exiss has engineered and built a wide variety of gooseneck horse trailers intended to make your life easier and keep your horses safer. And today, we still build gooseneck horse trailers that are engineered especially for you. Available in a broad range of horse configurations, widths, heights and lengths, an Exiss gooseneck trailer is a great way to haul your horses safely, conveniently and comfortably.

Contact your local Exiss dealership today to check out our comprehensive selection of high quality gooseneck horse trailers!




# 6'8" WIDE MODELS



## MODELS 6300, 6400 CX

**Exterior Width:** 6'8"  
**Horse Stalls:** 3-4 Horse  
**Unload Door:** (1) Standard  
**Tack Room:** 2' Shortwall  
**Wheels:** 16" Steel Modular

**Inside Height:** 7'  
**Stall Width:** 40"  
**Rear Tack:** Optional  
**Rear Doors:** 55/45  
**Spare Tire:** Standard



The 6300 CX and 6400 CX models from Exiss provide horse owners with two outstanding benefits: low prices and incredible airflow in the horse area. Starting at prices well under other goosenecks, these models deliver a safe, comfortable ride at a great price.




## WE PUT OURSELVES IN YOUR BOOTS

When it's time to make a major purchase, it's nice to have confidence that your selection was built the right way. As a proud member of the **National Association of Trailer Manufacturers**, not only do our trailers meet all NATM requirements, but they're built with your safety and satisfaction as our goal.

## MODELS 6300, 6400 CXF

**Exterior Width:** 6'8"  
**Horse Stalls:** 3-4 Horse  
**Unload Door:** (1) Standard  
**Tack Room:** 2' Shortwall  
**Wheels:** 16" Steel Modular

**Inside Height:** 7'  
**Stall Width:** 40"  
**Rear Tack:** Optional  
**Rear Doors:** 55/45  
**Spare Tire:** Standard



The Exiss 6300 CXF and 6400 CXF are versatile slantload goosenecks at amazing prices. With large, streetside drop down windows and air spaces on the curb side, you can be sure your horses will enjoy maximum airflow during those hot summer months. And because it's an Exiss, you will enjoy remarkable style and unbeatable construction.




## MODELS 6200, 6300, 6400

**Exterior Width:** 6'8"  
**Horse Stalls:** 2-4 Horse  
**Unload Door:** (1) Standard\*

**Inside Height:** 7'  
**Stall Width:** 40"  
**Rear Tack:** Folding  
**Rear Doors:** 55/45  
**Spare Tire:** Standard

**Tack Room:** 4' Shortwall  
**Wheels:** 16" Steel Modular



The Exiss 6200, 6300 and 6400 gooseneck slant load models are designed to deliver a safe, comfortable ride with maximum value for your hard-earned dollar. These trailers have been designed for users who are looking for an affordable trailer that features first-class construction, advanced engineering and quality components.

\*Side unload door standard on 3H and 4H models only





# 7' WIDE MODELS



## MODELS 7300, 7400, 7600

- Exterior Width:** 7'

**Horse Stalls:** 3,4,6 Horse

**Unload Door:** (1) Standard

**Tack Room:** 4' Shortwall


**Wheels:** 16" Steel Modular
- Inside Height:** 7'

**Stall Width:** 40"

**Rear Tack:** Folding

**Rear Doors:** 55/45

**Spare Tire:** Standard



These 3, 4 and 6 horse, slant load gooseneck models combine an impressive appearance with the horse-friendly features for which Exiss is famous. Its standard features — such as a folding rear tack, patented slam latches, and carpeted dressing room— make it the perfect choice for the serious horse enthusiast.


**WE STAND BEHIND OUR TRAILERS!** To demonstrate our confidence in our trailers, we've increased our warranty coverage! Now, all new 2012 Exiss gooseneck trailers come standard with a fully transferrable, eight-year limited warranty. See your local authorized Exiss dealership for details.

38

**TRANSFERABLE WARRANTY**  
3 YEARS LIMITED / 8 YEARS STRUCTURAL



- ### POPULAR OPTIONS
- Exterior graphics
  - Drop down step
  - Wheel simulators
  - Rear ramp
  - Stall pads on dividers
  - Halogen load light
  - Hay rack and ladder
  - Stainless nose
  - Polished slat
  - Lower divider



## MODEL SPECIFICATIONS & COMPARISONS

Trailer Model	Belly Length	Interior Height	Outside Width	Shortwall Length	Horse Stalls	Rear Tack	Est. Empty Weight	Wheel Size	Tire Specs	Axle Size
6300 CX	16'6"	7'	6'8"	2'	3H	Optional	3,980	16"	10 ply	(2) 5,200
6400 CX	20'0"	7'	6'8"	2'	4H	Optional	4,380	16"	10 ply	(2) 5,200
6300 CXF	16'6"	7'	6'8"	2'	3H	Optional	3,980	16"	10 ply	(2) 5,200
6400 CXF	20'0"	7'	6'8"	2'	4H	Optional	4,380	16"	10 ply	(2) 5,200
6200 GN	15'0"	7'	6'8"	4'	2H	Standard	3,380	16"	10 ply	(2) 3,500
6300 GN	18'6"	7'	6'8"	4'	3H	Standard	4,120	16"	10 ply	(2) 5,200
6400 GN	22'0"	7'	6'8"	4'	4H	Standard	4,620	16"	10 ply	(2) 5,200
7300 GN	18'6"	7'	7'	4'	3H	Standard	4,320	16"	10 ply	(2) 5,200
7400 GN	22'0"	7'	7'	4'	4H	Standard	4,800	16"	10 ply	(2) 5,200
7600 GN	28'0"	7'	7'	4'	6H	Standard	5,700	16"	10 ply	(2) 7,000

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All weights and dimensions listed in this brochure are approximate. Illustrations may include optional equipment.