

THE MARK OF EXCELLENCE




For more information, use your smartphone's QR reader to find out more about the Exiss lineup.

1 (877) 553-9477 | 900 E. Trail Blvd. | El Reno, OK 73036 | www.exiss.com | sales@exiss.com

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.

© 2011 Exiss | Version 11.6






# 2-4 HORSE TRAILERS



## MODEL 6200 ST

Load Type: Straight Stall Width: 36" Inside Height: 7'6" Side Access: (2) Doors **Axle Size:** (2) 5,200 lbs

Horse Stalls: 2 Horse Tack Room: 4' Sidewall Rear: Ramp w/ tail curtains Wheels: 16" Steel Modular Exterior: Full Length Slat



\*Shown with optional equipment

WE STAND BEHIND OUR TRAILERS To demonstrate our confidence in our trailers, we've increased our warranty coverage! now, all new 2012 Exiss goosenesck trailers come standard with a fully-transferrable, eight-year limited warranty. See your local authorized Exiss dealership for details.

The 6200 ST is one of the latest additions to the affordable

Exiss lineup. With two large, safe stalls and a convenient

large horses and a desire for a great, affordable trailer.

dressing room, this model is a great option for anyone with



### **MODEL 7200 ST**

Load Type: Straight Horse Stalls: 2 Horse Tack Room: 4' Sidewall


Rear: Ramp w/ tail curtains


Wheels: 16" Steel Modular

Stall Width: 40" Inside Height: 7'6" Axle Size: (2) 5,200 lbs

Side Access: (2) Doors

Stall Width: 40"





# MODEL 7200 SR

Load Type: Straight


Horse Stalls: 2 or 3 Horse Tack Room: 24" Shortwall

Wheels: 15" Steel Modular Rear: Ramp w/ tail curtains

Side Access: (1) Door; (1) Ramp



\*Shown with optional equipment



The Exiss Model 720 SR trailer is one of the most versatile trailers in the market today. Complete with a full dressing room, rear ramp and side unload door, this model features a straightl oad configuration with a convenient side ramp, and can be used to haul 2 or 3 horses with plenty of room for other necessary items.

#### MODEL 7400 ST

Load Type: Straight


Horse Stalls: 2 Horse Tack Room: 4' Sidewall

Wheels: 16" Steel Modular Side Access: (1) Door; (1) Ramp

Rear: Ramp w/ tail curtains

Stall Width: 40" Inside Height: 7'6"

**Axle Size:** (2) 7,000 lbs



You've found the perfect trailer for transporting up to four large horses with maximum ease, comfort and safety — the Exiss 7400 ST. Designed specifically for large horses, this straight load, all-aluminum tapered gooseneck trailer provides maximum value with the most durable construction in the business.




### **MODEL 8600 ST**

Load Type: Straight Horse Stalls: 6 horse Inside Height: 7'6" Stall Width: 30"

Wheels: 16" Steel Modular Rear: Ramp w/ tail curtains



\*Shown with optional equipment



**Axle Size:** (2) 8,000 lbs

Side Access: (1) Door; (1) Ramp

The Exiss 8600 ST is a durable straight load gooseneck that can transport up to six horses safely and easily. And with standard equipment such as a dressing room, rear ramp, side ramp and stalls that can easily convert into box stalls, this trailer is not only extremely durable, but extremely versatile.



DID YOU KNOW? All Exiss trailers feature a single piece roof system that ties to the upright posts, adding strength and durability to your trailer. The flooring on all Exiss horse trailers uses interlocking aluminum planks on top of 2" x 4" cross members to ensure your trailer's structure, safety and longevity.













- 1. Exterior graphics
- 2. Drop down step
- 3. Wheel simulators
- 4. Stainless nose
- 5. Living quarters
- 6. Additional load lights
- **7.** Colored side sheets





# **MODEL SPECIFICATIONS & COMPARISONS**

Trailer Model	Belly Length	Interior Height	Outside Width	Shortwall Length	Horse Stalls	Est. Empty Weight	Wheel Size	Tire Specs	Axle Size
6200 ST	15'0"	7'6"	7'	4'0"	2H	TBD	16"	10 ply	(2) 5,200
7200 ST	15'0"	7'6"	7'	4'0"	2H	4,020	16"	10 ply	(2) 5,200
7200 SR	22'0"	7'6"	7'	4'0"	2-3H	5,460	16"	10 ply	(2) 6,000
7400 ST	30'0"	7'6"	7'	4'0"	4H	TBD	16"	10 ply	(2) 7,200
8600 ST	32'0"	7'6"	8'	3'4"	6H	8,480	16"	14 ply	(2) 8,000

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All weights and dimensions listed in this brochure are approximate. Illustrations may include optional equipment.





