

7' WIDE GOOSENECK MODELS

EXTERIOR

- Available in 3 and 4 horse models
- 7' outside width - 7'4" inside height
- One piece aluminum roof
- .063 white, baked on enamel aluminum side sheets
- King pin coupler - strong 4 x 6 tube for maximized strength
- Safety chains, breakaway brake switch w/ battery and box
- Adjustable 2^{5/16}" hitch coupler
- 7' nose w/ 5' tapered white exterior skin and stainless steel nose wrap and extruded aluminum bottom rail
- One large 18" x 24" window on each side of nose
- Single drop-leg jack
- Legacy Echelon® extruded aluminum slat outside horse area
- Premium, hand-built feed doors w/ 15" x 24" windows and fold down bars on streetside
- 18" x 24" windows w/ screen on curbside
- Pre-framed for drop down windows on curbside
- 50/50 rear doors w/ Legacy Echelon® slat, four 8" aluminum hinges and two 18" x 24" windows
- Aluminum cam locks and locking keyed hasps on rear doors
- Rivet-less door and seal on rear doors and side access door
- Aluminum tear drop fenders with LED light
- Heavy duty, 3" thick running board
- One exterior tie ring per horse stall
- Four LED brake lights (in clear casing) on rear frame
- LED clearance lights (in clear casing) on top rail
- Two halogen load lights on rear frame

FLOOR / UNDERCARRIAGE

- Heavy-duty, corrugated aluminum interlocking floor
- Aluminum frame w/ 4" I-beams on 13" centers
- Two Dexter® rubber torsion axles
- Five 8-hole, 16" modular steel wheels
- Five Goodyear LT235/85R16 tires (includes spare)
- Four wheel simulators

DRESSING ROOM

- 4' shortwall dressing room (carpeted)
- One camper door w/ sliding window and screen
- Brush tray, halter hook bar, swingout blanket bar
- One saddle rack per stall on removable post

HORSE STALLS

- Side walls are insulated to roof
- .100 aluminum up 48" high on sidewalls w/ .040 white aluminum lining above to roof
- .200 rubber up 48" high on all horse area walls and doors
- Side access door at first stall w/ one 15" x 24" window, one padded breast bar and one pressure latch w/ locking hasps
- Framed stall dividers w/ stall pads and patented slam latch
- One 5" x 9" pop up roof vent per stall
- Full-length, curbside LED light strip w/ switch on rear frame
- Padded rump bar at rear load door
- Lifetime rubber floor mat in horse area
- Two rubber-coated interior tie rings per horse stall

REAR TACK

- Carpeted rear tack area (walls & doors)
- Collapsible tack wall is double lined w/ .063 aluminum
- Six bridle/halter hooks and additional saddle rack location
- One LED light w/ switch on rear frame

Model below shown with optional equipment



Trailer Model	Belly Length	Interior Height	Outside Width	Tackroom Length	Horse Stalls	Model Style	Saddle Rack	GVWR	Empty Weight	Wheel Size	Tire Specs	Axle Size
SEL 318	18'2"	7'4"	7'	4'	3	GN	Stationary	10,400	4,740	16" 8 hole	Radial	(2) 5,200
SEL 422	21'6"	7'4"	7'	4'	4	GN	Stationary	14,000	6,040	16" 8 hole	Radial	(2) 7,000



Toll Free: 1 (800) 256-6669 | 900 E Trail Blvd | El Reno, OK 73036 | www.soonertrailers.com

In keeping with its policy of continuous improvement, Sooner reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.

© 2010 Sooner | Version 10.2

1 (800) 256-6669 // www.soonertrailers.com // sales@soonertailers.com

BY UNIVERSAL TRAILER

BUILD YOUR LEGACY

The new Sooner Legacy models have been designed with today's horse owners in mind. Featuring high quality craftsmanship, a rugged design and impressive style, these trailers are the perfect balance of impressive aesthetics and overwhelming durability. With Sooner's impeccable reputation for quality, plus standard features like LED lights, full-length slat, a carpeted rear tack, and plush living quarters, the new Legacy models have been designed to impress and they are built to last. Available as both standard and fully custom models, you'll be sure to find a model that's perfect for your individual needs, so that you will be able to "Build Your Legacy" with confidence, pride and satisfaction.



8' W LIVING QUARTERS

Featuring a rugged exterior, complete with an extruded nose rail and full-length slat to help protect the trailer against the abuse of the road, the new Legacy models are designed to be safe, stylish and affordable. Each model boasts a horse area that contains such high-quality items as padded dividers, a patented slam latch, LED light strips and a fully carpeted rear tack. The exterior of these models feature standard high-visibility LED exterior lights, radial tires, drop-down feed doors, and new *Echelon* slat that wraps around the rear doors for an added measure of durability. And the plush living quarters feature seemingly limitless combinations of layouts, interior designs and decorations (see next page).



Model shown with optional equipment

STANDARD TRAILER SPECIFICATIONS

EXTERIOR

- Available in 3 and 4 horse models
- 8' outside width - 7'8" inside height
- One piece aluminum roof
- .063 white, baked on enamel aluminum side sheets
- Safety chains, breakaway brake switch w/ battery and box
- Adjustable 2^{5/16}" hitch coupler
- 8' nose w/ 6' tapered white exterior skin and stainless steel nose wrap and extruded aluminum bottom rail
- 46" drop height in gooseneck
- Dual hydraulic jacks
- One aluminum battery box and hydraulic box under drop
- Full length, Legacy *Echelon*® extruded aluminum slat
- Premium, hand-built feed doors w/ 15" x 24" windows and fold down bars on streetside
- 18" x 24" windows w/ screen on curbside
- Pre-framed for drop down windows on curbside
- 50/50 rear doors w/ Legacy *Echelon*® slat, four 14" wrap-around hinges, and two 18" x 24" windows
- Aluminum cam locks and locking keyed hasps on rear
- Rivet-less door and seal on rear and side access doors
- Aluminum tear drop fenders
- One exterior tie ring per horse stall
- Four LED brake lights (in clear casing) on rear frame
- Eleven LED clearance lights (in clear casing) on top rail
- Two halogen load lights on rear frame
- Heavy-duty, corrugated aluminum interlocking floor
- Aluminum frame w/ 4" I-beams on 13" centers
- Two Dexter® rubber torsion axles w/ 0° trailing arm for increased clearance height
- Five 8-hole, 16" modular steel wheels
- Five Goodyear LT235/85R16G tires (includes spare)
- Four wheel simulators

LIVING QUARTERS PREP

- One 19" x 26" kick-out window on each side of nose
- One 24" x 48" picture window and one kitchen window
- One camper door w/ fold-up camper step
- Walk thru door

HORSE STALLS

- Side walls are insulated to roof
- .100 aluminum up 48" high on sidewalls w/ .040 white aluminum lining above to roof
- .200 rubber up 48" high on all horse area walls and doors
- Side access door at first stall w/ three 8" hinges, one 15" x 24" window, one padded breast bar and one pressure latch w/ locking keyed hasps
- Framed stall dividers w/ stall pads and slam latch
- One 5" x 9" pop up roof vent per stall
- Full-length, curbside LED light strip w/ switch on rear
- Mangers w/ breast pads and storage area below
- Carpeted manger storage area features interior lights, light switch and exterior access doors (1 on 3H; 2 on 4H)
- Padded rump bar at rear load door
- Lifetime rubber floor mat in horse area
- Two rubber-coated interior tie rings per horse stall

REAR TACK

- Fully sealed, carpeted rear tack area (walls & doors)
- Solid tack wall is double lined w/ .063 aluminum
- Twelve bridle/halter hooks
- One brush tray
- One saddle rack per stall on removable post
- Pitchfork style blanket bar, w/ five 1" swing out tubes (extended from wall for increased capacity)
- One LED light w/ switch on rear frame

POPULAR TRAILER OPTIONS

- Drop enclosure
- Lined & insulated horse area
- Recessed aluminum ladder
- Aluminum wheels
- Polish Upgrade (polished slat, cam locks and hinges)
- Dexter Nev-R-Lube axles
- Curbside feed doors
- Black or silver side sheets
- 6' or 8' enclosed hay pod
- Rear ramp w/ springs
- Feed door in side access door

Trailer Model	Belly Length	Interior Height	Outside Width	Tackroom Length	Horse Stalls	Model Style	Saddle Rack	GVWR	Empty Weight	Wheel Size	Tire Specs	Axle Size
SEL 309	23'6"	7'8"	8'	9'	3	GN	Stationary	14,000	6,300	16" 8 hole	Goodyear	(2) 7,000
SEL 311	25'6"	7'8"	8'	11'	3	GN	Stationary	14,000	6,800	16" 8 hole	Goodyear	(2) 7,000
SEL 313	27'6"	7'8"	8'	13'	3	GN	Stationary	16,000	7,200	16" 8 hole	Goodyear	(2) 8,000
SEL 315	29'6"	7'8"	8'	15'	3	GN	Stationary	16,000	7,600	16" 8 hole	Goodyear	(2) 8,000
SEL 317	31'6"	7'8"	8'	17'	3	GN	Stationary	16,000	7,940	16" 8 hole	Goodyear	(2) 8,000
SEL 409	26'10"	7'8"	8'	9'	4	GN	Stationary	14,000	6,800	16" 8 hole	Goodyear	(2) 7,000
SEL 411	28'10"	7'8"	8'	11'	4	GN	Stationary	14,000	7,100	16" 8 hole	Goodyear	(2) 7,000
SEL 413	30'10"	7'8"	8'	13'	4	GN	Stationary	16,000	7,600	16" 8 hole	Goodyear	(2) 8,000
SEL 415	32'10"	7'8"	8'	15'	4	GN	Stationary	16,000	7,700	16" 8 hole	Goodyear	(2) 8,000
SEL 417	34'10"	7'8"	8'	17'	4	GN	Stationary	16,000	8,580	16" 8 hole	Goodyear	(2) 8,000



INTERIOR SPECIFICATIONS

GENERAL FEATURES

- Leather touch walls in living and sleeping areas w/ panel ceiling
- Residential grade linoleum package
- Textured leather touch lighted window valances with solid oak window rings and pleated shades
- Tempered safety glass louvered windows with positive locks and screens
- Large camper door with hide-a-screen
- Lighted closet storage compartments
- High intensity recessed ceiling lights
- 13,500 BTU air conditioner with heat strip and solid wood cover
- 16,000 BTU furnace
- Pressure water system with 40 gallon minimum fresh water tank and two 27 gallon waste water holding tanks
- 6 gallon water heater
- Sewer dump hose and holder
- City water hook up and outside water spigot
- Two RV/marine batteries and dual 20 lb. propane tanks with regulator
- Power cord lifeline
- 55 amp converter
- Smoke alarm and fire extinguisher
- 110 volt exterior receptacle and exterior porch light
- Monitor panel including smoke, LP and CO detector
- Deluxe lighted grab handle
- Hitch hook up light

KITCHEN FEATURES

- Solid oak edged counter tops and table
- Raised panel oak cabinet doors with vinyl wrapped cabinet faces
- 3 cu. ft. refrigerator (2 way standard - 3 way optional)
- Black 2 burner gas cook top with lid and black vented range hood
- Stainless sinks
- Black microwave oven
- Dinette sleeper (option for sofa sleeper with pedestal table in lieu of dinette)
- Full overhead storage cabinets over dinette and kitchen counter
- AM-FM stereo CD with 2 inside speakers and 2 outside speakers

BEDROOM FEATURES

- Carpeted bedroom area
- RV Queen (60 x 76) size innerspring mattress with comforter
- Reading lights in bedroom
- Oak overhead TV cabinet with slide out swivel tray and TV antenna with power booster
- Full hanging closets in gooseneck

BATHROOM FEATURES

- Thetford flush toilet
- Large shower with glass shower door
- Linen and storage compartments
- Privacy bathroom door
- Lighted power roof vent in bathroom
- Towel rack, towel ring, and toilet paper holder



IMPRESSIVE QUALITY, VALUE & SELECTION

Each Sooner Legacy living quarters model features quality accommodations built by Sierra Interiors. Sierra has become known as the leading conversion company in the industry because of their quality work, outstanding customer support and overwhelming variety of options. From big to small, Sierra offers interiors to fit every budget and every personal need.

